

www.jswsteeldoors.in



www.jswsteeldoors.in



SIZE: 9" X 11" (OPEN SIZE: 18" X 11")




ADVANTAGE AVANTE



WEATHER PROOF DOORS Not just a fair-weather friend. Avante doesn't shrink or swell with the changing weather. A be-all and end-all solution to your monsoon worries.



FIRE RESISTANT DOORS
You will need a furnace to bring
this down. Avante stands tall in
the case of fire and could give
up to 2 hours of "evacuation
time". A perfect solution for a
stress-free exit.



TERMITE PROOF DOORS No more hollow knocks. Avante fully eliminates the ossibility of a termite attack. A guaranteed fix for a termite free home.



EASY TO INSTALL No more carpenter woes. Once assembled, it is ready to install ensuring best turnaround time for both; the homeowners and the professional contractors.



ECO-FRIENDLY
No trees were trimmed to
construct this door. Avante is
an environmental friendly steel
door manufactured in a
compliant facility.



INSIDE-OUT

INTERNAL SUPPORT

ELEMENTS

Steel reinforcements are provided internally for structural stability and integrity.

- Doors are designed to be fully flushed without any joints on the surface.
- The door and the frame are provided with adequate internal reinforcement in specific areas where hardware is mounted for additional strength.
- The honeycomb infill has high crushing strength leading to impact resistance. The infill material also ensures there is no metallic noise while the doors are knocked or closed.
- The frame is made with mitered joints. It arrives in knocked down form and is assembled on-site.
- The frame is mounted on the wall opening with suitable anchor fasteners. The frame can also be filled with PUF or cement slurry (as required) to give a solid feel.

HONEYCOMB FILLING

This hexagonal infill made out of craft paper has unique properties that enhances structural integrity and ensures minimal weight addition.

STEEL SHEETS

The steel used in the doors isgalvanised, coated with primer and painted. This offers triple protection from any atmospheric interaction. They are easy to maintain, tough to the core and provide the greatest longevity.




PAGE- 04 SIZE: 9" X 11" (OPEN SIZE: 18" X 11")

PLAIN FINISH DOORS

- These are simple flush doors that are high on aesthetics and low on maintenance.
- Available in a range of RAL shades to suit your décor.

Material: Galvanized steel with PU paint Infill: Honeycomb Core Size: Wall Opening Min: 750 x 2100 mm Max: 1200 x 2400 mm



^{*}Colours may vary on actual product. Above colours are indicative.



WOOD GRAIN FINISH DOORS

- These doors have natural wood finish with a textured surface.
- The wood grain texture gives these doors a premium look and feel.
- Available in natural wooden colours.

Material: Wood grain finish steel Infill: Honeycomb Core Size: Wall Opening Min: 900 x 2100 mm Max: 1200 x 2400 mm





Dark Mahogany







^{*}Wood finishes are indicative and will vary against batch quantity.

PAGE- 06 SIZE: 9" X 11" (OPEN SIZE: 18" X 11")

CLASSIC EMBOSSED WOOD GRAIN FINISH DOORS

- These doors have natural wood finish with a textured surface and with design embossed on it.
- Available in natural wooden colors.

Material: Wood grain finish steel Infill: Honeycomb Core Size: Wall Opening Min: 1000 x 2100 mm Max: 1200 x 2400 mm





Dark Mahogany





Moorish Teak

Natural Teak


SIX PANEL EMBOSSED WOOD GRAIN FINISH DOORS

- These doors have natural wood finish with a textured surface and with design embossed on it.
- Available in natural wooden colors.

Material: Wood grain finish steel Infill: Honeycomb Core Size: Wall Opening Min: 1000 x 2100 mm Max: 1200 x 2400 mm



ALSO AVAILABLE IN PLAIN FINISH COLOUR








PAGE- 08 SIZE: 9" X 11" (OPEN SIZE: 18" X 11")

^{*}Colours may vary on actual product. Above colours are indicative.

COMBINATION DOORS

- These doors come with a combination of main door and security grill door fitted in a twin rebate frame.
- They are available in a range of colours, both in plain finish and wooden texture.

Material: Galvanised steel with PU paint Infill: Honeycomb Core Size: Wall Opening Min: 1000 x 2100 mm Max: 1200 x 2400 mm



RAL 3020

RAL 9016


RAL 7035



FRAMED GLASS DOORS

- These doors have an outer steel frame and the glass panel mounted centrally.
- The frames can accommodate glass panels of various design and transparency levels.

Material: Galvanized Steel with PU paint. Infill: Honeycomb Core Size: wall opening Min: 1000 x 2100 mm Max: 1200 x 2400 mm



*Colours may vary on actual product. Above colours are indicative.

*Make to Order



PAGE- 10 SIZE: 9" X 11" (OPEN SIZE: 18" X 11")

^{*}Colours may vary on actual product. Above colours are indicative.

*Make to Order

HARDWARE HORMANN

HINGE

EURO PROFILE CYLINDERS

DOOR CLOSERS















Euro profile cylinder with both side key

Euro profile cylinder with one side key and one side thumbturn

Concealed door closer

Door closer HDC13 (FD) Door closer HDC03

LOCKS



Mortise sashlock with steel latch & Dead bolt H1-ZK









ACCESSORIES











Multipoint Locking LVR x Knob

Mortise sashlock H9 with

Multipoint lock KFV

LEVER HANDLES AND PULL HANDLES



Lever handle for multipoint lock ERA



HR3-W Polymide Lever handles roses and indicator white



Polymide Lever handles with roses and escutcheons black







Polymide Lever handles with roses and escutch eons white




Stainless steel lever handle



D type pull handle


L: 300mm






TECHNICAL

FRAME PROFILE



PROFILE THRESHOLD



PAGE- 13 PAGE- 12 SIZE: 9" X 11" (OPEN SIZE: 18" X 11")



PAGE- 14 SIZE: 9" X 11" (OPEN SIZE: 18" X 11")