











"Together we have the opportunity to make our built environments more energy efcient, attractive, adaptable, environmentally sensitive and productive. The way we build can be more effective and reach higher standards than ever before. We can make our buildings really work for us; consuming and generating energy smartly to become real investments in our future"

These are Delta's aspirations, and they shape every aspect of how the Group works.

Delta Industries, the biggest division in Steel Profiling and Insulation is the National leader in the design, development and delivery of advanced building envelope products and solutions. It is widely recognised in the industry for the high quality and performance of its products as well as its commitment to excellent customer service and technical support.


Our product portfolio includes; Insulated Roof & Wall Panels; Fabrications, Safety & Lighting Solutions; Controlled Environments; Structural Products & Systems; Steel Building & Interior Solutions, & Insulated Door Components; and Sutrah Energy Rooftop Solar

Our wide range of products allows developers, architects and contractors to meet and exceed today's construction challenges and create functional buildings that are aesthetically pleasing, energy efficient, safe, cost effective and sustainable.


This product selector has been specifically designed for the Indian markets and showcases the Single sheet and Insulated Roof & Wall Panels in detail, with a overview on some of the other portfolios. For further information on the other ranges, please refer to the www.sutrah.in website.

Domestic Presence

Today the Group has retail network around the nation, sells in more than 20 states



Product Range At a Glance




PUFF TILE

1130 width




3.5ft - Regular Double **Ribbed Trapezoidal**



4ft Wider-Double Ribbed Trapezoidal

With wider you pay less & get more



Product Range At a Glance




C&Z Purlins



Decking Sheet




Galvanized Plain




Available in Embosed

Product Range At a Glance








A WIDE RANGE OF COLOURS



PRODUCT SPECIFICATIONS

COIL FORM	PPGL
Thickness (mm)	0.20-1.2
Width (mm)	600 - 1335
Substrate	Al-Zinc alloy steel
Zinc Coating (gsm)	70-200
Hardness (HRB)	55-65 Soft CQ, Above 85 for Grade 80
Guard film-optional (microns)	40μ (Customised also)
	ASTM A 755, EN 10169, IS 159



- A Colled rolled steel substrate
- 1 Al-Zinc alloy coat
- 2 Pre-treatment (chromating)
- 3 Primer
- 4 Top coat
- 5 Backer coat
- 6 Guard film (optional)





Plot No. 401 B, Baikampady Industrial Area, New Mangalore - 575 011 Ph: 0824-2409439 | M: +91 99866 81944 | info@sutrah.in | www.sutrah.in